



Paul Crunk 7342872822

(3)

**Paul Crunk**  
**12220 Woodcrest Street Box 725**  
**Taylor, MI 48180-0725**  
**Ph: (734) 287-2822 Fax: (734) 287-2866**  
**Email: tmimfg@aol.com**

5

10

## **LAMP REFLECT-REFLECTOR / REFLECT-REFLECTOR BAFFLE**

### **15 FIELD OF THE INVENTION**

20

A reflect-reflector or a reflect-reflector baffle located inside the lamp on the underside of the front lens or separate from the lens area or a combination of both that helps aid in the illumination of the lighting source in the lamp and also acts as a reflect-reflector to bounce back any light from motor vehicles back to the driver of those motor vehicles to be seen by the driver adding to better safety and visibility.

### **BACK GROUND OF INVENTION**

25

To this present day there has never been a lamp offered that has the reflect-reflector or reflect-reflector baffle placed inside the lamp that aids in the illumination source of the lamp and also acts as a reflect-reflector. The reflect-

reflector is placed on face (the top surface) of the baffle or PCB board and can also be part of the underside of the front lens inside the lamp which helps the lamp to be seen when the lamp is not lit up during the day or during the nighttime when vehicles head light from automobile, truck or motorcycle are directed at the reflect-reflector contained within the lamp, which it then reflects back giving the appearance of a light being lit. This reflect - reflector baffle also significantly aids in the illumination of the light source inside the lamp by capturing the light that may get lost in the lamp and redirects it forward out of the lamp lens making the lamp that much brighter to the human eye. The problem is with most lamps are the light is lost or absorbed within the lamp case or PC board in the lamp which decreases the light output of the lamp. The reflect-reflector being part of the PCB board surface or a separate reflect-reflector baffle assembly placed in the lamp would takes any light being generated inside the lamp or any exterior light generating source produced by an on coming vehicle then can be seen by the drivers of that vehicle by redirect back out of the lamp to the driver of that vehicle. Having a reflect reflector being part of the inside portion of the lamp will help in replacing to use plastic reflectors and adhesive reflector tape on the rear and sides of vehicles for visibility and safety.

**SUMMARY OF INVENTION**

The present invention relates to vehicle lighting used on many trucks and trailers,  
 5 and many commercial applications used on an off the roadways worldwide that  
 require a reflect-reflector to aid in illumination for safety reasons. The problem  
 with many of these applications is they require a reflect-reflector adhesive tape or  
 plastic reflectors to be placed on the vehicle to help illuminate the vehicle to other  
 motorists showing the size and width of the vehicle to prevent collisions. The  
 10 problem has been when a reflect-reflectors is when they are placed on the inside  
 surface of many lamp lens, which considerably restricts the light being generated  
 inside the lamp from exiting that lamp to be seen by other motorists. Most  
 automobile lamps today using bulbs which have a reflect reflector placed on the  
 inside portion of the lens area of the lamp. With the use a light bulb the reflect  
 15 reflector does prevents the light from being seen through the lens on the outside of  
 the lamp. This is why with a reflect-reflector baffle being placed at the bottom  
 portion of the lamp will not restrict any light from exiting out of the lamp which  
 the oncoming motorists can still see the reflect reflector through the lens. This  
 new invention has solved two problems in combining them both within one lamp.  
 20 The reflect-reflector is placed on the face of the reflector or baffle, which does not  
 restrict any light from exiting the lamp to be seen by the human eye. As we all  
 notice today most reflect-reflectors are placed on the interior or exterior of the  
 lamp lens, which then reduces much of light output being produced with inside

the lamp. Most all vehicle applications including automobiles, trucks and trailers require some sort reflect reflectors placed on the vehicle for added safety and the adhesive reflect reflector tape and plastic reflectors are most commonly used on the side and rear of many vehicles to aid in vehicle safety. The problem with many trucks, trailers and tow truck operators is they do not like having to use adhesive reflect reflectors and plastic reflect-reflectors placed on the vehicles because it takes away from the beauty of the vehicle having these many adhesive reflect reflector stuck to the side or the back of the vehicle. Many OEMs in aftermarket would prefer to put only a lamp with a built-in reflect reflector to replace the unsightly adhesive tape plastic reflect-reflectors and save time in assembly. The purpose of most reflect-reflectors is to be used mainly during nighttime hours to help illuminate both small or large vehicle to oncoming traffic in letting other motorists know the size of the vehicle where the vehicle located to prevent collision. . The problem is that many of the trucking trailer manufacture do not like using the adhesive or plastic screw-on adhesive plastic reflect reflector's because it takes too much time to place them on the vehicles during manufacturing and it is very difficult to placed the adhesive reflect reflectors on the vehicle to make sure they are placed on straight. If they are not placed on the vehicle straight or in the right distances between each other and the lighting then it becomes very unsightly to human eye. There are many other obvious problems with adhesive tape reflect reflector's or screw on reflect-reflectors when the vehicle goes through automobile or truck washes that reflect reflector starts to break down peal off and loses its reflectivity on surface area. Another common

problem is when grease and oil cover the reflect reflector adhesive tape it prevents the reflect reflector from being seen. With the use of the lamp reflect reflector baffle contained within lamp will help illuminate the lamp more brightly and evenly throughout the lamp by using the baffle reflect reflector to be seen more brightly. The reflect reflector baffle as two purposes by being placed with inside the lamp below or near the lighting source. The baffle reflect reflector helps by aiding in the compression of the light and bringing all the light forward through the front of the lens which would obviously be lost with inside the lamp. The baffle reflects reflector within the lamp has one or more optical reflectors, which is like having one or many flashlights inside one lamp source. The reflect reflector baffle can be used in many different sahpe LED applications which aids in the intensity of one or more LEDs. Using the reflect reflector baffle can considerably reduced the need of having to more LEDs within the LED lamp. When the optical design of the baffle reflector is designed accurately the LED lamp would then appear just as bright using less leds. The baffle reflector takes all the light being generated by a single LED or a few LEDs and forces all the light forward being generated by a LED or LED's to be seen through the lens and not to be lost or absorbed inside lamp. When LED's are being used they generate light 360 degrees all around the LED itself including the light coming from the bottom of the led. If all that light being generated from that LED was directed forward it would considerably increase that LED brightness which would allow lamp manufacturers to use less LED's to achieve the same brightness of using many LED's with no baffle or reflector.

## BRIEF DESCRIPTION OF THE DRAWING

In figure 1 you can see the baffle reflect-reflector in 1 and the reflector in 2 and the  
5 ultrasonic area 5 and the baffle reflector 4 and the lighting element in 3.

In figure 2 you can see the area where this type of reflect-reflector baffle can be mounted  
using screws or ultrasonic welding or any other type of glue.

10 In figure 3 you can see the PCB 10 and the case wall 12 is where the wedge tab or tabs 7  
is connected the reflect-reflector baffle edge which slides down between the case wall  
and the pcb 10 to prevent the pcb 10 from shifting vertical and horizontal and the  
reflector baffle 3 rest down on the pcb 2 to prevent the pcb 2 from shifting vertical. Also  
you can see the area 9 on the reflect-reflector baffle where is can be fastened using  
15 screws, ultrasonic welding or glues to the case 12 area. Also you can see the led 3  
sticking up above the baffle reflector 3, which will allow the light from the led to bounce  
off the reflector area 2 and be directed out of the lamp to be seen.

In figure 4 you can see reflector 2 by adding a reflect-reflector to a small portion or the  
20 whole reflector 2 area under the light bulb 11, which will make the reflect-reflector be  
seen from other drivers and also the reflect-reflector baffle will also make the light bright  
to be seen through the front areas of the lens filling the whole lamp and lens are full light  
making the light that much brighter to be seen by other drivers.

## DETAILED DESCRIPTION OF DRAWINGS

Figure No. 1

- 5 A baffle reflect reflector 1 contains one or more baffles 4 with one or more lighting elements 3 which can be a light bulb 11 in figure 4 or LED 3 with a reflect reflector 2 which can be part of a PC board portion10 of the LED board 10 or a separate reflect-reflector baffle 1, which can be inserted into the lamp that can contains one or more lighting elements 3 or light bulb 11 in figure 3.
- 10 The baffle reflect reflector 1 can also contain a area around the reflect reflector 2 where 5 can then be fastened using screws, ultrasonically welded or glue to the inside portion of the interior of the lamp to secure the PCB board in the interior of the lamp from vibrating horizontal or vertical with or without the use of screws, clips, barbs or pins that would need to be melted to secure the LED board or circuit board/s in place. The baffle can also
- 15 contain a wedge 7 in figure 2 like feet or it can be a full circle wedge that can slide down in-between the pcb and the interior case wall of the lamp to prevent the pcb from shifting horizontal or vertical in the lamp. One additional feature of the reflect reflector baffle is that it can have additional feet or wedges 13 that can go through the led pcb to press down and prevent the controller pcb board from shifting horizontal or vertical which can
- 20 also replace the use of any sort of fasteners. This is an improvement to Paul Crunk's Light Board Retainer Ring patent which allows greater fastening of the PCB's using the reflect reflector baffle where the cone shaped reflectors on the baffle rest pressing down on the LED PCB preventing it from vibrating up-and-down and side to side, and the wedge 7

areas underneath the reflect-reflector baffle 1 slides in between the LED PCB board and the case 7 which also prevents the LED board from shifting side to side and up and down when the lamp is under considerable vibration. The reflect reflector baffle can be made in such away that it can also have securing posts 13 to go through the LED PC board 14 to secure controller board 15 underneath the LED PCB 10 from shifting left or right or up and down.

2021-10-09 09:55:00

10

15

20